

In re Patent Application of  
**PORTO ET AL.**  
Serial No. **Not Yet Assigned**  
Filed: **Herewith**

---

**In the Claims:**

Claims 1-6 (Cancelled).

7. (New) A quantum gate for running a quantum algorithm using a binary function having a first basis of vectors of  $n$  qubits, the quantum gate comprising:

a superposition subsystem for performing a superposition operation over components of input vectors for generating components of linear superposition vectors for a second basis of vectors of  $n+1$  qubits;

an entanglement subsystem for performing an entanglement operation over components of the linear superposition vectors for generating components of entanglement vectors, said entanglement subsystem comprising

a command circuit for generating a plurality of logic command signals encoding values of the binary function corresponding to the first basis of vectors, and

an array of multiplexers, each being driven by a respective logic command signal and receiving as input a plurality of signals representing components of a linear superposition vector corresponding to the second basis of vectors having the first  $n$  qubits in common, and outputting for each superposition vector corresponding signals representing components of an entanglement vector, each component of the entanglement vector corresponding to a respective vector of the second basis of vectors and being equal to

the corresponding component of the

In re Patent Application of  
**PORTO ET AL.**  
Serial No. **Not Yet Assigned**  
Filed: **Herewith**

---

respective superposition vector if the binary function is null in correspondence to the vector of the first basis of vectors formed by the first  $n$  qubits of the respective vector of the second basis of vectors, or

the opposite of the corresponding component of the respective superposition vector if the binary function is not a null in correspondence to the vector of the first basis of vectors formed by the first  $n$  qubits of the respective vector of the second basis of vectors; and

an interference subsystem for performing an interference operation over components of the entanglement vectors for generating components of output vectors.

8. (New) A quantum gate according to Claim 7, wherein the quantum algorithm comprises a Grover's quantum algorithm, and wherein said interference subsystem comprises:

an adder receiving as input voltage signals representing even or odd components of an entanglement vector, and generating a sum signal representing a weighed sum with a scale factor of the even or odd components of the entanglement vector; and

an array of adders each receiving as input a respective signal representing an even or odd component of an entanglement vector and the sum signal, and generating a signal representing an even or odd component of the output vector as a difference between the sum signal and the signal representing an even or odd component of the entanglement vector.

In re Patent Application of  
**PORTO ET AL.**  
Serial No. **Not Yet Assigned**  
Filed: **Herewith**

---

9. (New) A quantum gate According to Claim 7, wherein the quantum algorithm comprises a Deutsch-Jozsa's quantum algorithm, and wherein said interference subsystem comprises an array of adders each receiving as input signals representing even or odd components of an entanglement vector, and generating a signal representing a corresponding even or odd component of the output vector as a linear combination of the signals representing the even or odd components of the entanglement vector.

10. (New) A quantum gate according to Claim 8, further comprising an elaboration subsystem comprising:

an analog/digital converter receiving as input the signals representing the even or odd components of the output vector and for converting the input signals into a digital string; and

a microprocessor unit receiving as input the digital string for performing the following

calculating a quantity to be minimized that is associated with the odd or even components of the output vector,

comparing the quantity to be minimized with a threshold and stopping the Grover's algorithm if the quantity is smaller than the threshold, otherwise commanding another iteration, and

generating an output digital string representing components of the output vector.

11. (New) A quantum gate according to Claim 10, wherein said elaboration subsystem further comprises:

In re Patent Application of  
**PORTO ET AL.**  
Serial No. **Not Yet Assigned**  
Filed: **Herewith**

---

a digital/analog converter receiving as input the output digital string, and generating output signals corresponding to the odd or even components of the output vector; and

an array of level shifters, each being input with a respective output signal, and generating a pair of voltage signals in a desired voltage range representing opposite components of a new superposition vector to be input to said entanglement subsystem.

12. (New) A quantum gate according to Claim 11, wherein each level shifter comprises:

an adder that subtracts a predetermined voltage from a respective output signal for generating an odd component of the new superposition vector; and

an inverter receiving as input the odd component for generating the corresponding even component.

13. (New) A quantum gate according to Claim 10, wherein said analog/digital converter comprises commercial device ADC0808; wherein said microprocessor unit comprises commercial device CPLD XC95288XL; and wherein said digital/analog converter comprises commercial device AD7228.

14. (New) A quantum gate according to Claim 10, wherein the quantity to be minimized comprises a Shannon entropy.

15. (New) A quantum gate for running a Grover's quantum algorithm using a binary function having a first basis of vectors of  $n$  qubits, the quantum gate comprising:

In re Patent Application of  
**PORTO ET AL.**  
Serial No. **Not Yet Assigned**  
Filed: **Herewith**

---

a superposition subsystem for performing a superposition operation over components of input vectors for generating components of linear superposition vectors for a second basis of vectors of  $n+1$  qubits;

an entanglement subsystem for performing an entanglement operation over components of the linear superposition vectors for generating components of entanglement vectors, said entanglement subsystem comprising

a command circuit for generating a plurality of logic command signals encoding values of the binary function corresponding to the first basis of vectors, and

an array of multiplexers, each being driven by a respective logic command signal and receiving as input a plurality of signals representing components of a linear superposition vector corresponding to the second basis of vectors having the first  $n$  qubits in common, and outputting for each superposition vector corresponding signals representing components of an entanglement vector; and

an interference subsystem for performing an interference operation over components of the entanglement vectors for generating components of output vectors.

16. (New) A quantum gate according to Claim 15, wherein each component of the entanglement vector corresponding to a respective vector of the second basis of vectors is equal to the corresponding component of the respective superposition vector if the binary function is null in correspondence to the vector of the first basis of vectors

In re Patent Application of  
**PORTO ET AL.**  
Serial No. **Not Yet Assigned**  
Filed: **Herewith**

---

formed by the first  $n$  qubits of the respective vector of the second basis of vectors, or the opposite of the corresponding component of the respective superposition vector if the binary function is not a null in correspondence to the vector of the first basis of vectors formed by the first  $n$  qubits of the respective vector of the second basis of vectors.

17. (New) A quantum gate according to Claim 15, wherein said interference subsystem comprises:

an adder receiving as input voltage signals representing even or odd components of an entanglement vector, and generating a sum signal representing a weighed sum with a scale factor of the even or odd components of the entanglement vector; and

an array of adders each receiving as input a respective signal representing an even or odd component of an entanglement vector and the sum signal, and generating a signal representing an even or odd component of the output vector as a difference between the sum signal and the signal representing an even or odd component of the entanglement vector.

18. (New) A quantum gate according to Claim 17, further comprising an elaboration subsystem comprising:

an analog/digital converter receiving as input the signals representing the even or odd components of the output vector and for converting the input signals into a digital string; and

a microprocessor unit receiving as input the digital string for performing the following

calculating a quantity to be minimized that is

In re Patent Application of  
**PORTO ET AL.**  
Serial No. **Not Yet Assigned**  
Filed: **Herewith**

---

associated with the odd or even components of the output vector,

comparing the quantity to be minimized with a threshold and stopping the Grover's algorithm if the quantity is smaller than the threshold, otherwise commanding another iteration, and

generating an output digital string representing components of the output vector.

19. (New) A quantum gate according to Claim 18, wherein said elaboration subsystem further comprises:

a digital/analog converter receiving as input the output digital string, and generating output signals corresponding to the odd or even components of the output vector; and

an array of level shifters, each being input with a respective output signal, and generating a pair of voltage signals in a desired voltage range representing opposite components of a new superposition vector to be input to said entanglement subsystem.

20. (New) A quantum gate according to Claim 19, wherein each level shifter comprises:

an adder that subtracts a predetermined voltage from a respective output signal for generating an odd component of the new superposition vector; and

an inverter receiving as input the odd component for generating the corresponding even component.

In re Patent Application of  
**PORTO ET AL.**  
Serial No. **Not Yet Assigned**  
Filed: **Herewith**

---

21. (New) A quantum gate according to Claim 18, wherein the quantity to be minimized comprises a Shannon entropy.

22. (New) A quantum gate for running a Deutsch-Jozsa's quantum algorithm using a binary function having a first basis of vectors of  $n$  qubits, the quantum gate comprising:

- a superposition subsystem for performing a superposition operation over components of input vectors for generating components of linear superposition vectors for a second basis of vectors of  $n+1$  qubits;

- an entanglement subsystem for performing an entanglement operation over components of the linear superposition vectors for generating components of entanglement vectors, said entanglement subsystem comprising

  - a command circuit for generating a plurality of logic command signals encoding values of the binary function corresponding to the first basis of vectors, and

  - an array of multiplexers, each being driven by a respective logic command signal and receiving as input a plurality of signals representing components of a linear superposition vector corresponding to the second basis of vectors having the first  $n$  qubits in common, and outputting for each superposition vector corresponding signals representing components of an entanglement vector; and

- an interference subsystem for performing an interference operation over components of the entanglement



In re Patent Application of  
**PORTO ET AL.**  
Serial No. **Not Yet Assigned**  
Filed: **Herewith**

---

vectors for generating components of output vectors.

23. (New) A quantum gate according to Claim 22, wherein each component of the entanglement vector corresponding to a respective vector of the second basis of vectors is equal to the corresponding component of the respective superposition vector if the binary function is null in correspondence to the vector of the first basis of vectors formed by the first  $n$  qubits of the respective vector of the second basis of vectors, or the opposite of the corresponding component of the respective superposition vector if the binary function is not a null in correspondence to the vector of the first basis of vectors formed by the first  $n$  qubits of the respective vector of the second basis of vectors.

24. (New) A method for running a quantum algorithm using a binary function having a first basis of vectors of  $n$  qubits, the method comprising:

performing a superposition operation over components of input vectors for generating components of linear superposition vectors for a second basis of vectors of  $n+1$  qubits;

performing an entanglement operation over components of the linear superposition vectors for generating components of entanglement vectors, the entanglement operation comprising

generating a plurality of logic command signals encoding values of the binary function corresponding to the first basis of vectors, and

driving an array of multiplexers by respective logic command signals and applying as input to the array of multiplexers a plurality of signals

In re Patent Application of  
**PORTO ET AL.**  
Serial No. **Not Yet Assigned**  
Filed: **Herewith**

---

representing components of a linear superposition vector corresponding to the second basis of vectors having the first  $n$  qubits in common, and outputting for each superposition vector corresponding signals representing components of an entanglement vector, each component of the entanglement vector corresponding to a respective vector of the second basis of vectors and being equal to

the corresponding component of the respective superposition vector if the binary function is null in correspondence to the vector of the first basis of vectors formed by the first  $n$  qubits of the respective vector of the second basis of vectors, or

the opposite of the corresponding component of the respective superposition vector if the binary function is not a null in correspondence to the vector of the first basis of vectors formed by the first  $n$  qubits of the respective vector of the second basis of vectors; and

performing an interference operation over components of the entanglement vectors for generating components of output vectors.

25. (New) A method according to Claim 24, wherein the quantum algorithm comprises a Grover's quantum algorithm; and wherein the interference operation is performed using an interference subsystem comprising:

an adder receiving as input voltage signals representing even or odd components of an entanglement vector,

In re Patent Application of  
**PORTO ET AL.**  
Serial No. **Not Yet Assigned**  
Filed: **Herewith**

---

and generating a sum signal representing a weighed sum with a scale factor of the even or odd components of the entanglement vector; and

an array of adders each receiving as input a respective signal representing an even or odd component of an entanglement vector and the sum signal, and generating a signal representing an even or odd component of the output vector as a difference between the sum signal and the signal representing an even or odd component of the entanglement vector.

26. (New) A method according to Claim 24, wherein the quantum algorithm comprises a Deutsch-Jozsa's quantum algorithm; and wherein the interference operation is performed using an interference subsystem comprising an array of adders each receiving as input signals representing even or odd components of an entanglement vector, and generating a signal representing a corresponding even or odd component of the output vector as a linear combination of the signals representing the even or odd components of the entanglement vector.

27. (New) A method according to Claim 25, further comprising:

receiving as input the signals representing the even or odd components of the output vector, and converting the input signals into a digital string; and

performing the following based upon the digital string

calculating a quantity to be minimized that is associated with the odd or even components of the

In re Patent Application of  
**PORTO ET AL.**  
Serial No. **Not Yet Assigned**  
Filed: **Herewith**

---

output vector,

comparing the quantity to be minimized with a threshold and stopping the Grover's algorithm if the quantity is smaller than the threshold, otherwise commanding another iteration, and

generating an output digital string representing components of the output vector.

28. (New) A method according to Claim 27, further comprising:

generating output signals corresponding to the odd or even components of the output vector; and

using an array of level shifters, each being input with a respective output signal, and generating a pair of voltage signals in a desired voltage range representing opposite components of a new superposition vector to be input to an entanglement subsystem performing the entanglement operations.

29. (New) A method according to Claim 28, wherein each level shifter comprises:

an adder that subtracts a predetermined voltage from a respective output signal for generating an odd component of the new superposition vector; and

an inverter receiving as input the odd component for generating the corresponding even component.

30. (New) A method according to Claim 27, wherein the quantity to be minimized comprises a Shannon entropy.